

MANDATORY SHARED PROCUREMENT EQUIPMENT CONTRACTS

1

<u>EQUIPMENT NOMENCLATURE</u>	<u>MFR/NSN</u>	<u>MODEL/PRICE</u>	<u>COL IN AFMLL</u>	<u>CONTRACT PERIOD</u>
Defibrillator/Monitor w/Pacing for OR/Cardiology	Hewlett-Packard 6515-01-390-1460 (AAC L)	M1722A/B Code Master XL+ \$6,232.00	25/26-96	27 Mar 97 (2 year option)
Dental Delivery System	DEN-TAL-EZ, Inc. 6520-01-426-8776/82/80	Chair: E3000,Unit: AS3000, Light: Varies \$2678.17, \$2278.05, \$909.09*	25/26-96	14 Mar 97 (2 year option)
Infusion Pump/System	IVAC 6515-01-378-0541/42/34	See COL for models and prices	25/26-96	18 Jan 97 (last year)

NONMANDATORY OPTIONAL CONSOLIDATED CONTRACTS

Electrocardiograph, 3-Channel, Stand-Alone, Non-CAPOC	Hewlett-Packard 6515-01-395-8729 (AAC L)	PageWriter XLi (M1700A) \$4,242.00	25/26-96	15 Aug 97 (2 year option)
Electrosurgical Analyzer	DNI Nevada 6515-01-438-2409 (AAC L)	454A \$5,024.00	25/26-96	1 Oct 97
Infant Intensive Care System	Air-Shields Vickers 6515-01-415-7438	Model IICS-90 \$13,802.00	25/26-96	26 Jun 97 (1 year option)
Microscope, Optical, Binocular	Columbia Instruments 6650-01-259-3008 (AAC L)	FM600 \$2,218.00	25/26-96	26 Jun 97 (1 year option)
Microscope, Optical, Brightfield/Phase	Nikon, Inc. 6650-01-412-1040	Labophot 2 \$3,387.00*	25/26-96	30 Mar 97 (2 year option)
Sterilizer, Surgical Instrument & Dressing	Pelton & Crane 6530-01-340-8001 (AAC L)	Validator 10 Plus \$2,448.00	25/26-96	27 Apr 97 (2 year option)
Suction Apparatus	Impact Instrumentation 6515-01-304-6497 6515-01-426-9141 6515-01-435-4257	308M w/E-12K Pump \$754.00 308M w/E-13K Pump \$730.00 325M w/E-12K Pump \$455.00	25/26-96	15 Aug 97

ATTCH 1 AFMILL 25/26-96

<u>EQUIPMENT NOMENCLATURE</u>	<u>MFR/NSN/AAC</u>	<u>MODEL/PRICE</u>	<u>COL IN AFMLL</u>	<u>CONTRACT PERIOD</u>
Table, Examination and Treatment	Midmark Corporation 6530-01-351-9319 (AAC L)	Ritter 100 \$671.00	25/26-96	15 Jul 97
Table, Examination, Power	Midmark Corporation 6530-01-423-9508 (AAC L)	111R \$5,325.00	25/26-96	30 Oct 98
Table, Operating	AMSCO 6530-01-353-9883 (AAC L)	2080M IA \$17,526.00	25/26-96	30 Oct 98
Ultrasonic Cleaner, Mobile, 18-Gallon	Sonicor Instruments Corp. 6520-01-395-8735 (AAC L)	MSC-900T-11/12 \$2,700.00	25/26-96	15 May 97 (2 year option)
Ventilator, Anesthesia	Ohmeda 6515-01-383-0922 (AAC J)	7000 \$7,813.00	25/26-96	28 Feb 99
Wheelchair, Folding	Theradyne Corporation 6530-00-551-4354 (AAC D)	MAC 202-100 \$198.00	25/26-96	30 Sep 97

* Options available at additional cost

MTF _____ Base _____

Facility Manager _____

Telephone Number _____ DSN Number _____

Fax Number _____

E-Mail Address _____

1. Did your office receive the DMLSS-FM database build program and equipment? Yes/No

2. Are you using the database build program? Yes/No

a. If you are not using the database build program do you intend to? Yes/No

b. If you are using the database build program:

(1) Did you or someone in your office attend the database build class? Yes/No If yes: Indicate date of class attended _____

(2) Have you finished your facility inventory information? Yes/No

(3) Have you built your room list? Yes/No

(4) Have you finished inputting your real property installed equipment? Yes/No

3. Are you currently using computer software (database programs, spreadsheet programs, etc.) to manage data and information in Facilities Management? Yes/No

If yes:

a. What type of information/data are maintaining?(Room List, RPIE Inventory, Key Inventory, Phone Inventory, etc.) _____

b. What format is it in? (D-base, Access, Excel, Lotus, Enable,etc.) _____

c. What information (fields) are included in your database? _____

_____ (If you have more than one existing database in use, please answer questions 3a, 3b, and 3c for each database. If more space is needed, use separate sheet)

4. Do you feel you have had adequate training on DMLSS-FM database build or do feel more training is required? _____

5. If you believe more training is required, would you prefer centralized training or on-site training? _____

6. What computer programs, Word, Excel, Access, CHCS, e-mail, etc., do you use on a regular basis?

7. Do you currently have a Computer Aided Design (CAD) program? Yes/No

a. What brand is it? _____

b. What version is it? _____

c. How many licenses do you have for this software? _____

8. Do you have a complete set of architectural CAD drawings of your facilities? Yes/No

If yes:

a. What format are they in? (AutoCAD, Microstation, etc.) _____

b. Are the drawings in vectored or raster form? _____

c. When was the last time the drawings were updated? _____

9. Have you attended any CAD training? Yes/No

What type of training was it? (2 day course from AutoCAD, 3 credit hours of CAD at a local college, etc.)

10. Has anyone else in Facilities Management had any CAD training? Yes/No

What type of training did they receive? _____

11. Do you have a color printer? Yes/No Type _____ Model _____

12. Do you have a color plotter? Yes/No Type _____ Model _____

13. Do you have 17" or larger monitors? Yes/No How Many _____

14. What CAD is Civil Engineering using at your base? _____

15. DMLSS plans to provide CAD in DMLSS-FM Release 2.0 (scheduled for release in the fall of 1997). What equipment would you recommend for deployment (i.e. PC platform, printer, plotter, monitor, etc.)? _____

16. Additional comments or remarks you want to add about DMLSS-FM _____

Thank you for taking time to complete this survey about DMLSS-FM.

Return the survey to AFMLO by:

Fax to commercial (301) 619-2958 or 2557; or DSN 343-2958 or 2557.

Or mail the completed survey to:

**AFMLO/FOM
1423 Sultan Street
Attn: Capt Dick Hart
Fort Detrick, MD 21702-5006**